

PT4604 / PT4624 / TPT4634 SERIES

DYNISCO#	OUTPUT	PRESSURE	DESCRIPTION	DATASHEET
PT4604-3M-6	4-20mA	0-3,000psi	1/2-20 UNF, 6pin, 6"Stem+NO-Flex	
PT4604-5M-6	4-20mA	0-5,000psi	1/2-20 UNF, 6pin, 6"Stem+NO-Flex	
PT4604-7.5M-6	4-20mA	0-7,500psi	1/2-20 UNF, 6pin, 6"Stem+NO-Flex	
PT4604-10M-6	4-20mA	0-10,000psi	1/2-20 UNF, 6pin, 6"Stem+NO-Flex	
PT424-3M-6/18	4-20mA	0-3,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex	
PT424-5M-6/18	4-20mA	0-5,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex	
PT424-7.5M-6/18	4-20mA	0-7,500psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex	
PT424-10M-6/18	4-20mA	0-10,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex	
PT4624-3M-6/30	4-20mA	0-3,000psi	1/2-20 UNF, 6pin, 6"Stem+30"Flex	
PT4624-5M-6/30	4-20mA	0-5,000psi	1/2-20 UNF, 6pin, 6"Stem+30"Flex	
PT4624-7.5M-6/30	4-20mA	0-7,500psi	1/2-20 UNF, 6pin, 6"Stem+30"Flex	
PT4624-10M-6/30	4-20mA	0-10,000psi	1/2-20 UNF, 6pin, 6"Stem+30"Flex	
TPT4634-3M-6/18	4-20mA	0-3,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J	
TPT4634-5M-6/18	4-20mA	0-5,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J	
TPT4634-7.5M-6/18	4-20mA	0-7,500psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J	
TPT4634-10M-6/18	4-20mA	0-10,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J	

[Back to top](#)

PT4606 / PT4626 / TPT4636 SERIES

DYNISCO#	MPI#	OUTPUT	PRESSURE	DESCRIPTION
PT4606-3M-6		0-10VDC	0-3,000psi	1/2-20 UNF, 6pin, 6"Stem+NO-Flex
PT4606-5M-6		0-10VDC	0-5,000psi	1/2-20 UNF, 6pin, 6"Stem+NO-Flex
PT4606-7.5M-6		0-10VDC	0-7,500psi	1/2-20 UNF, 6pin, 6"Stem+NO-Flex
PT4606-10M-6		0-10VDC	0-10,000psi	1/2-20 UNF, 6pin, 6"Stem+NO-Flex
PT4626-3M-6/18		0-10VDC	0-3,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex
PT4626-5M-6/18		0-10VDC	0-5,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex
PT4626-7.5M-6/18		0-10VDC	0-7,500psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex
PT4626-10M-6/18		0-10VDC	0-10,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex
PT4626-3M-6/30		0-10VDC	0-3,000psi	1/2-20 UNF, 6pin, 6"Stem+30"Flex
PT4626-5M-6/30		0-10VDC	0-5,000psi	1/2-20 UNF, 6pin, 6"Stem+30"Flex
PT4626-7.5M-6/30		0-10VDC	0-7,500psi	1/2-20 UNF, 6pin, 6"Stem+30"Flex
PT4626-10M-6/30		0-10VDC	0-10,000psi	1/2-20 UNF, 6pin, 6"Stem+30"Flex
TPT4636-3M-6/18		0-10VDC	0-3,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J
TPT4636-5M-6/18		0-10VDC	0-5,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J
TPT4636-7.5M-6/18		0-10VDC	0-7,500psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J
TPT4636-10M-6/18		0-10VDC	0-10,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J

[Back to top](#)

DYN-X-MA SERIES

DYNISCO#	MPI#	OUTPUT	PRESSURE	DESCRIPTION
DYN-X-MA-3M-6		4-20mA	0-3,000psi	1/2-20 UNF, 6pin, 6"Stem+NO-Flex
DYN-X-MA-5M-6		4-20mA	0-5,000psi	1/2-20 UNF, 6pin, 6"Stem+NO-Flex
DYN-X-MA-7.5M-6		4-20mA	0-7,500psi	1/2-20 UNF, 6pin, 6"Stem+NO-Flex
DYN-X-MA-10M-6		4-20mA	0-10,000psi	1/2-20 UNF, 6pin, 6"Stem+NO-Flex
DYN-X-MA-3M-6/18		4-20mA	0-3,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex
DYN-X-MA-5M-6/18		4-20mA	0-5,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex
DYN-X-MA-7.5M-6/18		4-20mA	0-7,500psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex
DYN-X-MA-10M-6/18		4-20mA	0-10,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex
DYN-X-MA-3M-6/30		4-20mA	0-3,000psi	1/2-20 UNF, 6pin, 6"Stem+30"Flex
DYN-X-MA-5M-6/30		4-20mA	0-5,000psi	1/2-20 UNF, 6pin, 6"Stem+30"Flex
DYN-X-MA-7.5M-6/30		4-20mA	0-7,500psi	1/2-20 UNF, 6pin, 6"Stem+30"Flex
DYN-X-MA-10M-6/30		4-20mA	0-10,000psi	1/2-20 UNF, 6pin, 6"Stem+30"Flex
DYN-X-MA-3M-6/18-TC		4-20mA	0-3,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J
DYN-X-MA-5M-6/18-TC		4-20mA	0-5,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J
DYN-X-MA-7.5M-6/18-TC		4-20mA	0-7,500psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J

DYN-X-MA-10M-6/18-TC		4-20mA	0-10,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J
----------------------	--	--------	-------------	--

[Back to top](#)
DYN-X-V SERIES

**ECHO-
MA4 /
ECHO-
VT1
SERIES**

DYNISCO#	MPI#	OUTPUT	PRESSURE	DESCRIPTION	BROCHURE
DYN-X-V-3M-6		0-10VDC	0-3,000psi	1/2-20 UNF, 6pin, 6"Stem+NO-Flex	
DYN-X-V-5M-6		0-10VDC	0-5,000psi	1/2-20 UNF, 6pin, 6"Stem+NO-Flex	
DYN-X-V-7.5M-6		0-10VDC	0-7,500psi	1/2-20 UNF, 6pin, 6"Stem+NO-Flex	
DYN-X-V-10M-6		0-10VDC	0-10,000psi	1/2-20 UNF, 6pin, 6"Stem+NO-Flex	
DYN-X-V-3M-6/18		0-10VDC	0-3,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex	
DYN-X-V-5M-6/18		0-10VDC	0-5,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex	
DYN-X-V-7.5M-6/18		0-10VDC	0-7,500psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex	
DYN-X-V-10M-6/18		0-10VDC	0-10,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex	
DYN-X-V-3M-6/30		0-10VDC	0-3,000psi	1/2-20 UNF, 6pin, 6"Stem+30"Flex	
DYN-X-V-5M-6/30		0-10VDC	0-5,000psi	1/2-20 UNF, 6pin, 6"Stem+30"Flex	
DYN-X-V-7.5M-6/30		0-10VDC	0-7,500psi	1/2-20 UNF, 6pin, 6"Stem+30"Flex	
DYN-X-V-10M-6/30		0-10VDC	0-10,000psi	1/2-20 UNF, 6pin, 6"Stem+30"Flex	
DYN-X-V-3M-6/18-TC		0-10VDC	0-3,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J	
DYN-X-V-5M-6/18-TC		0-10VDC	0-5,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J	
DYN-X-V-7.5M-6/18-TC		0-10VDC	0-7,500psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J	
DYN-X-V-10M-6/18-TC		0-10VDC	0-10,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J	

DYNISCO#	MPI#	OUTPUT	PRESSURE	DESCRIPTION
ECHO-MA4-PSI-R20-UNF-6PN-S06-NFL-NTR		4-20mA	0-3,000psi	1/2-20 UNF, 6pin, 6"Stem+NO-Flex

ECHO-MA4-PSI-R21-UNF-6PN-S06-NFL-NTR		4-20mA	0-5,000psi	1/2-20 UNF, 6pin, 6"Stem+NO-Flex	
ECHO-MA4-PSI-R22-UNF-6PN-S06-NFL-NTR		4-20mA	0-7,500psi	1/2-20 UNF, 6pin, 6"Stem+NO-Flex	
ECHO-MA4-PSI-R23-UNF-6PN-S06-NFL-NTR		4-20mA	0-10,000psi	1/2-20 UNF, 6pin, 6"Stem+NO-Flex	
ECHO-VT1-PSI-R20-UNF-6PN-S06-NFL-NTR		0-10VDC	0-3,000psi	1/2-20 UNF, 6pin, 6"Stem+NO-Flex	
ECHO-VT1-PSI-R21-UNF-6PN-S06-NFL-NTR		0-10VDC	0-5,000psi	1/2-20 UNF, 6pin, 6"Stem+NO-Flex	
ECHO-VT1-PSI-R22-UNF-6PN-S06-NFL-NTR		0-10VDC	0-7,500psi	1/2-20 UNF, 6pin, 6"Stem+NO-Flex	
ECHO-VT1-PSI-R23-UNF-6PN-S06-NFL-NTR		0-10VDC	0-10,000psi	1/2-20 UNF, 6pin, 6"Stem+NO-Flex	
ECHO-MA4-PSI-R20-UNF-6PN-S06-F18-NTR		4-20mA	0-3,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex	
ECHO-MA4-PSI-R21-UNF-6PN-S06-F18-NTR		4-20mA	0-5,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex	
ECHO-MA4-PSI-R22-UNF-6PN-S06-F18-NTR		4-20mA	0-7,500psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex	
ECHO-MA4-PSI-R23-UNF-6PN-S06-F18-NTR		4-20mA	0-10,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex	
ECHO-VT1-PSI-R20-UNF-6PN-S06-F18-NTR		0-10VDC	0-3,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex	
ECHO-VT1-PSI-R21-UNF-6PN-S06-F18-NTR		0-10VDC	0-5,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex	
ECHO-VT1-PSI-R22-UNF-6PN-S06-F18-NTR		0-10VDC	0-7,500psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex	

ECHO-VT1-PSI-R23-UNF-6PN-S06-F18-NTR		0-10VDC	0-10,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex
ECHO-MA4-PSI-R20-UNF-6PN-S06-F18-TCJ		4-20mA	0-3,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex, T/C-J
ECHO-MA4-PSI-R21-UNF-6PN-S06-F18-TCJ		4-20mA	0-5,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex, T/C-J
ECHO-MA4-PSI-R22-UNF-6PN-S06-F18-TCJ		4-20mA	0-7,500psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex, T/C-J
ECHO-MA4-PSI-R23-UNF-6PN-S06-F18-TCJ		4-20mA	0-10,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex, T/C-J
ECHO-VT1-PSI-R20-UNF-6PN-S06-F18-TCJ		0-10VDC	0-3,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex, T/C-J
ECHO-VT1-PSI-R21-UNF-6PN-S06-F18-TCJ		0-10VDC	0-5,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex, T/C-J
ECHO-VT1-PSI-R22-UNF-6PN-S06-F18-TCJ		0-10VDC	0-7,500psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex, T/C-J
ECHO-VT1-PSI-R23-UNF-6PN-S06-F18-TCJ		0-10VDC	0-10,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex, T/C-J

MDT460F / MDT461F / TDT463F SERIES

DYNISCO#	MPI#	OUTPUT	PRESSURE	DESCRIPTION
MDT460F-1/2-2C-15		4-20mA	0-200bar	1/2-20 UNF, 6pin, 6"Stem+NO-Flex
MDT460F-1/2-3.5C-15		4-20mA	0-350bar	1/2-20 UNF, 6pin, 6"Stem+NO-Flex
MDT460F-1/2-5C-15		4-20mA	0-500bar	1/2-20 UNF, 6pin, 6"Stem+NO-Flex
MDT460F-1/2-7C-15		4-20mA	0-700bar	1/2-20 UNF, 6pin, 6"Stem+NO-Flex

MDT462F-1/2-2C-15/46		4-20mA	0-200bar	1/2-20 UNF, 6pin, 6"Stem+18"Flex
MDT462F-1/2-3.5C-15/46		4-20mA	0-350bar	1/2-20 UNF, 6pin, 6"Stem+18"Flex
MDT462F-1/2-5C-15/46		4-20mA	0-500bar	1/2-20 UNF, 6pin, 6"Stem+18"Flex
MDT462F-1/2-7C-15/46		4-20mA	0-700bar	1/2-20 UNF, 6pin, 6"Stem+18"Flex
TDT463F-1/2-2C-15/46		4-20mA	0-200bar	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J
TDT463F-1/2-3.5C-15/46		4-20mA	0-350bar	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J
TDT463F-1/2-5C-15/46		4-20mA	0-500bar	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J
TDT463F-1/2-7C-15/46		4-20mA	0-700bar	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J

MDT420F / MDT422F / TDT432F SERIES

DYNISCO#	MPI#	OUTPUT	PRESSURE	DESCRIPTION
MDT420F-1/2-2C-15		4-20mA	0-200bar	1/2-20 UNF, 6pin, 6"Stem+NO-Flex
MDT420F-1/2-3.5C-15		4-20mA	0-350bar	1/2-20 UNF, 6pin, 6"Stem+NO-Flex
MDT420F-1/2-5C-15		4-20mA	0-500bar	1/2-20 UNF, 6pin, 6"Stem+NO-Flex
MDT420F-1/2-7C-15		4-20mA	0-700bar	1/2-20 UNF, 6pin, 6"Stem+NO-Flex
MDT422F-1/2-2C-15/46		4-20mA	0-200bar	1/2-20 UNF, 6pin, 6"Stem+18"Flex
MDT422F-1/2-3.5C-15/46		4-20mA	0-350bar	1/2-20 UNF, 6pin, 6"Stem+18"Flex
MDT422F-1/2-5C-15/46		4-20mA	0-500bar	1/2-20 UNF, 6pin, 6"Stem+18"Flex

MDT422F-1/2-7C-15/46		4-20mA	0-700bar	1/2-20 UNF, 6pin, 6"Stem+18"Flex
TDT432F-1/2-2C-15/46		4-20mA	0-200bar	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J
TDT432F-1/2-3.5C-15/46		4-20mA	0-350bar	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J
TDT432F-1/2-5C-15/46		4-20mA	0-500bar	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J
TDT432F-1/2-7C-15/46		4-20mA	0-700bar	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J

PT4194 SERIES

DYNISCO#	MPI#	OUTPUT	PRESSURE	DESCRIPTION
PT4194-3M-6/18-A		4-20mA	0-3,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex, ZERO BUTTON
PT4194-5M-6/18-A		4-20mA	0-5,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex, ZERO BUTTON
PT4194-7.5M-6/18-A		4-20mA	0-7,500psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex, ZERO BUTTON
PT4194-10M-6/18-A		4-20mA	0-10,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex, ZERO BUTTON

PT4195 SERIES

DYNISCO#	MPI#	OUTPUT	PRESSURE	DESCRIPTION
PT4195-3M-6/18		0-5VDC	0-3,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex
PT4195-5M-6/18		0-5VDC	0-5,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex
PT4195-7.5M-6/18		0-5VDC	0-7,500psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex

PT4195-10M-6/18		0-5VDC	0-10,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex
-----------------	--	--------	-------------	----------------------------------

PT4196 SERIES

DYNISCO#	MPI#	OUTPUT	PRESSURE	DESCRIPTION
PT4196-3M-6/18		0-10VDC	0-3,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex
PT4196-5M-6/18		0-10VDC	0-5,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex
PT4196-7.5M-6/18		0-10VDC	0-7,500psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex
PT4196-10M-6/18		0-10VDC	0-10,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex

VERT-MA4 / VERT-VT1 / VERT-VT2 SERIES

DYNISCO#	MPI#	OUTPUT	PRESSURE	DESCRIPTION
VERT-MA4-MM1-NDC-PSI-R20-UNF-6PN-S06-F18-NTR-NCC		4-20mA	0-3,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex, 0.25%
VERT-MA4-MM1-NDC-PSI-R21-UNF-6PN-S06-F18-NTR-NCC		4-20mA	0-5,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex, 0.25%
VERT-MA4-MM1-NDC-PSI-R22-UNF-6PN-S06-F18-NTR-NCC		4-20mA	0-7,500psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex, 0.25%
VERT-MA4-MM1-NDC-PSI-R23-UNF-6PN-S06-F18-NTR-NCC		4-20mA	0-10,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex, 0.25%
VERT-VT1-MM1-NDC-PSI-R20-UNF-6PN-S06-F18-NTR-NCC		0-10VDC	0-3,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex, 0.25%
VERT-VT1-MM1-NDC-PSI-R21-UNF-6PN-S06-F18-NTR-NCC		0-10VDC	0-5,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex, 0.25%
VERT-VT1-MM1-NDC-PSI-R22-UNF-6PN-S06-F18-NTR-NCC		0-10VDC	0-7,500psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex, 0.25%

VERT-VT1-MM1-NDC-PSI-R23-UNF-6PN-S06-F18-NTR-NCC		0-10VDC	0-10,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex, 0.25%
VERT-VT2-MM1-NDC-PSI-R20-UNF-6PN-S06-F18-NTR-NCC		0-5VDC	0-3,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex, 0.25%
VERT-VT2-MM1-NDC-PSI-R21-UNF-6PN-S06-F18-NTR-NCC		0-5VDC	0-5,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex, 0.25%
VERT-VT2-MM1-NDC-PSI-R22-UNF-6PN-S06-F18-NTR-NCC		0-5VDC	0-7,500psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex, 0.25%
VERT-VT2-MM1-NDC-PSI-R23-UNF-6PN-S06-F18-NTR-NCC		0-5VDC	0-10,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex, 0.25%

PT4654XL SERIES

DYNISCO#	MPI#	OUTPUT	PRESSURE	DESCRIPTION
PT4654XL-3M		4-20mA	0-3,000psi	1/2-20 UNF, 6pin, 28" FLEX
PT4654XL-5M		4-20mA	0-5,000psi	1/2-20 UNF, 6pin, 28" FLEX
PT4654XL-7.5M		4-20mA	0-7,500psi	1/2-20 UNF, 6pin, 28" FLEX
PT4654XL-10M		4-20mA	0-10,000psi	1/2-20 UNF, 6pin, 28" FLEX

PT4655XL SERIES

DYNISCO#	MPI#	OUTPUT	PRESSURE	DESCRIPTION
PT4655XL-3M		0-5VDC	0-3,000psi	1/2-20 UNF, 6pin, 28" FLEX
PT4655XL-5M		0-5VDC	0-5,000psi	1/2-20 UNF, 6pin, 28" FLEX
PT4655XL-7.5M		0-5VDC	0-7,500psi	1/2-20 UNF, 6pin, 28" FLEX

PT4655XL-10M		0-5VDC	0-10,000psi	1/2-20 UNF, 6pin, 28" FLEX
--------------	--	--------	-------------	----------------------------

PT4656XL SERIES

DYNISCO#	MPI#	OUTPUT	PRESSURE	DESCRIPTION
PT4656XL-3M		0-10VDC	0-3,000psi	1/2-20 UNF, 6pin, 28" FLEX
PT4656XL-5M		0-10VDC	0-5,000psi	1/2-20 UNF, 6pin, 28" FLEX
PT4656XL-7.5M		0-10VDC	0-7,500psi	1/2-20 UNF, 6pin, 28" FLEX
PT4656XL-10M		0-10VDC	0-10,000psi	1/2-20 UNF, 6pin, 28" FLEX

PT4674 SERIES

DYNISCO#	MPI#	OUTPUT	PRESSURE	DESCRIPTION
PT4674-3M-10/18		4-20mA	0-3,000psi	1/2-20 UNF Jam Nut, 6pin, 10"Capillary+28"Flex
PT4674-5M-10/18		4-20mA	0-5,000psi	1/2-20 UNF Jam Nut, 6pin, 10"Capillary+28"Flex
PT4674-7.5M-10/18		4-20mA	0-7,500psi	1/2-20 UNF Jam Nut, 6pin, 10"Capillary+28"Flex
PT4674-10M-10/18		4-20mA	0-10,000psi	1/2-20 UNF Jam Nut, 6pin, 10"Capillary+28"Flex

PT4675 SERIES

DYNISCO#	MPI#	OUTPUT	PRESSURE	DESCRIPTION
PT4675-3M-10/18		0-5VDC	0-3,000psi	1/2-20 UNF Jam Nut, 6pin, 10"Capillary+28"Flex

PT4675-5M-10/18		0-5VDC	0-5,000psi	1/2-20 UNF Jam Nut, 6pin, 10"Capillary+28"Flex
PT4675-7.5M-10/18		0-5VDC	0-7,500psi	1/2-20 UNF Jam Nut, 6pin, 10"Capillary+28"Flex
PT4675-10M-10/18		0-5VDC	0-10,000psi	1/2-20 UNF Jam Nut, 6pin, 10"Capillary+28"Flex

PT4676 SERIES

DYNISCO#	MPI#	OUTPUT	PRESSURE	DESCRIPTION
PT4676-3M-10/18		0-10VDC	0-3,000psi	1/2-20 UNF Jam Nut, 6pin, 10"Capillary+28"Flex
PT4676-5M-10/18		0-10VDC	0-5,000psi	1/2-20 UNF Jam Nut, 6pin, 10"Capillary+28"Flex
PT4676-7.5M-10/18		0-10VDC	0-7,500psi	1/2-20 UNF Jam Nut, 6pin, 10"Capillary+28"Flex
PT4676-10M-10/18		0-10VDC	0-10,000psi	1/2-20 UNF Jam Nut, 6pin, 10"Capillary+28"Flex

DYN-X-MA SERIES c/w SIL2 OPTION

DYNISCO#	MPI#	OUTPUT	PRESSURE	DESCRIPTION
DYN-X-MA-3M-6-SIL2		4-20mA	0-3,000psi	1/2-20 UNF, 6pin, 6"Stem+NO-Flex
DYN-X-MA-5M-6-SIL2		4-20mA	0-5,000psi	1/2-20 UNF, 6pin, 6"Stem+NO-Flex
DYN-X-MA-7.5M-6-SIL2		4-20mA	0-7,500psi	1/2-20 UNF, 6pin, 6"Stem+NO-Flex
DYN-X-MA-10M-6-SIL2		4-20mA	0-10,000psi	1/2-20 UNF, 6pin, 6"Stem+NO-Flex
DYN-X-MA-3M-6/18-SIL2		4-20mA	0-3,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex

DYN-X-MA-5M-6/18-SIL2		4-20mA	0-5,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex
DYN-X-MA-7.5M-6/18-SIL2		4-20mA	0-7,500psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex
DYN-X-MA-10M-6/18-SIL2		4-20mA	0-10,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex
DYN-X-MA-3M-6/30-SIL2		4-20mA	0-3,000psi	1/2-20 UNF, 6pin, 6"Stem+30"Flex
DYN-X-MA-5M-6/30-SIL2		4-20mA	0-5,000psi	1/2-20 UNF, 6pin, 6"Stem+30"Flex
DYN-X-MA-7.5M-6/30-SIL2		4-20mA	0-7,500psi	1/2-20 UNF, 6pin, 6"Stem+30"Flex
DYN-X-MA-10M-6/30-SIL2		4-20mA	0-10,000psi	1/2-20 UNF, 6pin, 6"Stem+30"Flex
DYN-X-MA-3M-6/18-TC-SIL2		4-20mA	0-3,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J
DYN-X-MA-5M-6/18-TC-SIL2		4-20mA	0-5,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J
DYN-X-MA-7.5M-6/18-TC-SIL2		4-20mA	0-7,500psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J
DYN-X-MA-10M-6/18-TC-SIL2	MTJ04P10MSS-SIL2	4-20mA	0-10,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J

PT4604 / PT4624 / TPT4634 SERIES c/w SIL2 OPTION

DYNISCO#	MPI#	OUTPUT	PRESSURE	DESCRIPTION
PT4604-3M-6-SIL2		4-20mA	0-3,000psi	1/2-20 UNF, 6pin, 6"Stem+NO-Flex
PT4604-5M-6-SIL2		4-20mA	0-5,000psi	1/2-20 UNF, 6pin, 6"Stem+NO-Flex
PT4604-7.5M-6-SIL2		4-20mA	0-7,500psi	1/2-20 UNF, 6pin, 6"Stem+NO-Flex
PT4604-10M-6-SIL2		4-20mA	0-10,000psi	1/2-20 UNF, 6pin, 6"Stem+NO-Flex

PT4624-3M-6/18-SIL2		4-20mA	0-3,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex
PT4624-5M-6/18-SIL2		4-20mA	0-5,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex
PT4624-7.5M-6/18-SIL2		4-20mA	0-7,500psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex
PT4624-10M-6/18-SIL2		4-20mA	0-10,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex
PT4624-3M-6/30-SIL2		4-20mA	0-3,000psi	1/2-20 UNF, 6pin, 6"Stem+30"Flex
PT4624-5M-6/30-SIL2		4-20mA	0-5,000psi	1/2-20 UNF, 6pin, 6"Stem+30"Flex
PT4624-7.5M-6/30-SIL2		4-20mA	0-7,500psi	1/2-20 UNF, 6pin, 6"Stem+30"Flex
PT4624-10M-6/30-SIL2		4-20mA	0-10,000psi	1/2-20 UNF, 6pin, 6"Stem+30"Flex
TPT4634-3M-6/18-SIL2		4-20mA	0-3,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J
TPT4634-5M-6/18-SIL2		4-20mA	0-5,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J
TPT4634-7.5M-6/18-SIL2		4-20mA	0-7,500psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J
TPT4634-10M-6/18-SIL2		4-20mA	0-10,000psi	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J

MDT460F / MDT461F / TDT463F SERIES c/w SIL2 OPTION

DYNISCO#	MPI#	OUTPUT	PRESSURE	DESCRIPTION
MDT460F-1/2-2C-15-SIL2		4-20mA	0-200bar	1/2-20 UNF, 6pin, 6"Stem+NO-Flex
MDT460F-1/2-3.5C-15-SIL2		4-20mA	0-350bar	1/2-20 UNF, 6pin, 6"Stem+NO-Flex
MDT460F-1/2-5C-15-SIL2		4-20mA	0-500bar	1/2-20 UNF, 6pin, 6"Stem+NO-Flex

MDT460F-1/2-7C-15-SIL2		4-20mA	0-700bar	1/2-20 UNF, 6pin, 6"Stem+NO-Flex
MDT462F-1/2-2C-15/46-SIL2		4-20mA	0-200bar	1/2-20 UNF, 6pin, 6"Stem+18"Flex
MDT462F-1/2-3.5C-15/46-SIL2		4-20mA	0-350bar	1/2-20 UNF, 6pin, 6"Stem+18"Flex
MDT462F-1/2-5C-15/46-SIL2		4-20mA	0-500bar	1/2-20 UNF, 6pin, 6"Stem+18"Flex
MDT462F-1/2-7C-15/46-SIL2		4-20mA	0-700bar	1/2-20 UNF, 6pin, 6"Stem+18"Flex
TDT463F-1/2-2C-15/46-SIL2		4-20mA	0-200bar	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J
TDT463F-1/2-3.5C-15/46-SIL2		4-20mA	0-350bar	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J
TDT463F-1/2-5C-15/46-SIL2		4-20mA	0-500bar	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J
TDT463F-1/2-7C-15/46-SIL2		4-20mA	0-700bar	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J

MDT420F / MDT422F / TDT432F SERIES c/w SIL2 OPTION

DYNISCO#	MPI#	OUTPUT	PRESSURE	DESCRIPTION
MDT420F-1/2-2C-15-SIL2		4-20mA	0-200bar	1/2-20 UNF, 6pin, 6"Stem+NO-Flex
MDT420F-1/2-3.5C-15-SIL2		4-20mA	0-350bar	1/2-20 UNF, 6pin, 6"Stem+NO-Flex
MDT420F-1/2-5C-15-SIL2		4-20mA	0-500bar	1/2-20 UNF, 6pin, 6"Stem+NO-Flex
MDT420F-1/2-7C-15-SIL2		4-20mA	0-700bar	1/2-20 UNF, 6pin, 6"Stem+NO-Flex
MDT422F-1/2-2C-15/46-SIL2		4-20mA	0-200bar	1/2-20 UNF, 6pin, 6"Stem+18"Flex
MDT422F-1/2-3.5C-15/46-SIL2		4-20mA	0-350bar	1/2-20 UNF, 6pin, 6"Stem+18"Flex

MDT422F-1/2-5C-15/46-SIL2		4-20mA	0-500bar	1/2-20 UNF, 6pin, 6"Stem+18"Flex	
MDT422F-1/2-7C-15/46-SIL2		4-20mA	0-700bar	1/2-20 UNF, 6pin, 6"Stem+18"Flex	
TDT432F-1/2-2C-15/46-SIL2		4-20mA	0-200bar	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J	
TDT432F-1/2-3.5C-15/46-SIL2		4-20mA	0-350bar	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J	
TDT432F-1/2-5C-15/46-SIL2		4-20mA	0-500bar	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J	
TDT432F-1/2-7C-15/46-SIL2		4-20mA	0-700bar	1/2-20 UNF, 6pin, 6"Stem+18"Flex + T/C-J	